




**SHENZHEN RISE ELECTRONIC CO., LTD.**

Website: <http://www.ideacamera.com> Email: [cctv@ideacamera.com](mailto:cctv@ideacamera.com)

Global Sources Homepage Address: <http://www.globalsources.com/ideacamera.co>

---



**2MP WIFI Smart IR Bullet Camera, Ubell APP, Two-way intercom, PIR Detection.**

**Model: RC-HDG8201HSI1G2-T01-Z**

**Features:**

1. 2-pointed 18650 battery, intelligent standby video recording.
2. Magnet adsorption is easy to install.
3. Completely wireless, no cable No cable.
4. Ultra-low power consumption, standby time of 6 months 3.1080p HD resolution.
4. Two-way voice intercom.
5. Local video storage up to 64G.
6. PIR body detection 7.6 LED infrared night vision.
8. Support permanent free cloud storage for 7 days.

**Packing list:**

1. Standard 1M USB cable\*1
2. Screw package\*1



# SHENZHEN RISE ELECTRONIC CO., LTD.

Website: <http://www.ideacamera.com> Email: [cctv@ideacamera.com](mailto:cctv@ideacamera.com)

Global Sources Homepage Address: <http://www.globalsources.com/ideacamera.co>

## 3. Instructions \*1

### Size&weight:

Each packing (with solar panel): 146\*146\*92MM

30pcs/each box, Packing size: 450\*305\*475MM

Weight: 0.47KG/pcs

### Tech-parameter:

<b>Main chip</b>	Hisilicon Hi3518EV200	
<b>Sensor</b>	megapixels COMS sensor 1/2.7"	
<b>Length</b>	wide-angle lens	
<b>Video streaming</b>	1920*1080/15fps	
<b>CMOS performance</b>	Support automatic white balance, automatic gain control, automatic backlight compensation, digital wide dynamic	
<b>System</b>	Lite OS	
<b>Stand-by time</b>	About 6months (wake up 10 times a day for 15S each time)	
<b>Day and night conversion</b>	double filters switch automatically	
<b>Infrared distance</b>	850nm infrared ray, effective range: 5m	
<b>Network configuration mode</b>	one-click wifi configuration +acoustic configuration	
<b>PIR body detection</b>	support PIR detection wake up	
<b>Audio</b>	audio coding standard	AAC&G.726
	audio input/output	-38dB microphone/ built-in 1loudspeaker
<b>Video management</b>	Video recording mode	manual recording, alarm recording
<b>network</b>	wifi	2.4GHz
	Network protocol	TCP/IP, HTTP, TCP, UDP, SMTP, DHCP, DNS, P2P
	wifi	WIFI802.11b/g/ wireless network



## SHENZHEN RISE ELECTRONIC CO., LTD.

Website: <http://www.ideacamera.com> Email: [cctv@ideacamera.com](mailto:cctv@ideacamera.com)

Global Sources Homepage Address: <http://www.globalsources.com/ideacamera.co>

<b>Alarm</b>	passive infrared detection of human body	support
<b>Function</b>	adaptive bit rate	support
	two-way radio	full duplex real-time call support
	panoramic display mode	simulated 3D and automatic cruise
	sleep time	15S /30S/60S/no sleep (optional)
	voice telephone call	support
	remote wake up	support
	PIR wake up	support high, medium and low three kinds of sensitivity awakening
	app	Ubell, ios10.0, android5.0 version of the above
<b>System requirement</b>	power	5V/1A or two18650 battery 2200mAH (optional)
	working temperature	-10°C ~+50°C
	working humidity	≤80%RH